

e-STUDIO338cs

e-STUDIO388cs

Product brochure

- > These all-in-one A4 colour multifunctional devices cover your daily business requirements with print, copy, scan and fax functions.
- > The e-STUDIO338cs and e-STUDIO388cs help streamline your business' document workflow with a productivity of up to 33/38 pages per minute.
- > Cutting edge technology ensures your colour print jobs do not come to a halt, simply select to continue printing in monochrome instead.
- > Impeccable print quality ensures consistent yet impressive document output, from the first print to the last.



AN ASSET TO ANY WORKGROUP


The e-STUDIO338cs and e-STUDIO388cs are an asset to any business or workgroup that requires productivity, reliability and ease of use. These compact A4 multifunctional devices offer a remarkable image quality that give your documents the wow-factor.

Even challenging print jobs can be fulfilled, thanks to a clever range of options and solutions. A maximum paper capacity of 1,451 sheets ensures large print jobs run with ease. The optional Dual Scan Document Feeder of the e-STUDIO388cs allows your business to move to digitalisation easier and quicker than ever, with its speedy processing time of up to 94 images per minute.

The tiltable, colour touch panel and keypad offer a straightforward way to access all the device's functions and features. At Toshiba we take the privacy of your data seriously, so an optional card reader can be added to the e-STUDIO388cs for an extra layer of security – giving you full control over who has access to sensitive business data.



CONFIGURATION



SPECIFICATIONS

General

Print Speed	33/38 ppm
Warm-up Time	~ 16 seconds (from sleep mode)
Paper Size & Weight	Cassette: A6-A4/custom, 60-176 g/m ² Bypass: 76 x127 mm - 216 x 356 mm, 60-176 g/m ²
Paper Capacity	Cassette: 1x 250 sheets Max.: 1,451 sheets
Inner Output Tray	150-sheet capacity
Automatic Duplex	A4/custom, 60-105 g/m ²
Control Panel	10.9 cm (4.3") colour touch panel (tiltable)
Memory	Standard: 2 GB Max.: 6 GB
Interface	10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11ac/a/b/g/n)
Dimensions & Weight	<u>e-STUDIO338cs:</u> 442 x 507 x 462 mm (W x D x H), ~ 27.2 kg <u>e-STUDIO388cs:</u> 442 x 507 x 462 mm (W x D x H), ~ 27.4 kg
Initial Consumables	Starter Toner and Imaging Unit

Print

Resolution	Max. 1,200 x 1,200 dpi
First Print Output Time	~ 8.5/8 seconds
Page Description Language	PCL 5, PLC 6 emulation, PostScript 3 and PDF v1.7 emulation, XPS, PPDS
Supported Systems	Windows 10/8/8.1/7, Windows Server 2016/Server 2012/Server 2008 (32/64 bit), Windows Server 2012 R2/Server 2008 R2 (64 bit), Mac OS X 10.6-10.13, Linux/Unix, Novell NetWare, Citrix, SAP
Mobile Printing	AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Print from USB, Print from SharePoint ¹⁾ , Multiple pages per sheet, Envelope printing

Scan

Resolution	Colour: max. 600 x 600 dpi Monochrome: max. 600 x 600 dpi
Scan Speed	<u>e-STUDIO338cs:</u> Simplex: colour/monochrome 30/47 ipm (300 dpi) Duplex: colour/Monochrome 13/21 ipm (300 dpi) <u>e-STUDIO388cs:</u> Simplex: colour/monochrome 30/60 ipm (300 dpi) Duplex: colour/monochrome 47/94 ipm (300 dpi)
Document Feeder	Simplex/duplex: 50 sheets ²⁾ , 100 sheets ³⁾ , A6-A4/custom, 52-120 g/m ²
File Formats	TIFF, JPEG, PDF, PDF/A, Secure PDF, XPS
Scan Functions	WS Scan, Scan to E-Mail, Scan to USB, Scan to File, Scan to SharePoint ¹⁾ , Scan preview, e-STUDIO Scan, TWAIN

Copy

Resolution	Max. 600 x 600 dpi
First Copy Output Time	~ 8.5/8 seconds
Zoom	25-400%
Copy Modes	Text, Text/Photo, Photo, Graphics
Copy Functions	Multiple pages per copy, Margin shift, ID Card copy

Fax

Communication	Super G3
Transmission Speed	~ 3 seconds per page
Compression	JBIG, JBIG2, MMR, MR, MH, JPEG
Fax Functions	Colour fax, Speed dial (up to 500 destinations), Group dialing, Network fax
Incoming Fax Routing	To shared folders, E-Mail

System & Security

Device Management	e-BRIDGE Fleet Management System ¹⁾
System Features	Energy saving modes, Automatic toner saturation/colour calibration
Accounting & Security	Private print, IP address filter, Port filter, Support of SNMPv3, SSL and IPSec protocols, 802.1x authentication ¹⁾ , Operator panel lock ⁴⁾ , Disk wipe ¹⁾

Options

550-sheet Drawer	550-sheet capacity, A5-A4, 60-176 g/m ²
650-sheet Duo-drawer	1x cassette, 550-sheet capacity, A5-A4, 60-176 g/m ²⁰ 1x bypass, 100-sheet capacity, A6-A4, 60-176 g/m ²

Swivel Cabinet
Adjustable Printer Stand
User Flash Memory
Memory Expansion (4GB)
Hard Disk Drive²⁾
Wireless LAN Module
Forms & Barcode Card
PRESCRIBE Card
Security Element³⁾
Keyboard - English³⁾

¹⁾ Optional

²⁾ e-STUDIO338cs only

³⁾ e-STUDIO388cs only

⁴⁾ e-STUDIO338cs requires optional HDD



About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries – ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Website

www.toshibatec.eu



Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

